

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 1 of 13

Print date: 01/04/2020

Section 1: Identification.

Product identifier used on the label and Other means of identification.

Product Name: Mr. Window

Recommended use of the chemical and restrictions on use.

Glass and surface cleaner

Specific end use(s).

Not available.

Uses advised against:

Uses other than those recommended.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party.

Company: **Grupo Clarasol, S.A. de C.V.**
Address: Av. San Jeronimo
City: No. 424 Int. 302
Province: Álvaro Obregón, Ciudad de Mexico
Telephone: 5556121225
E-mail: gerenciaalidad@clarasol.com
Web: www.clarasol.com

Emergency phone number: 5556121225 (Monday-Friday: 08:00-18:00)

Section 2: Hazard(s) Identification.

Classification of the chemical in accordance with paragraph (d) of §1910.1200

In accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Flammable liquid, Category 4 : Combustible liquid.

Skin sensitiser, Category 1 : May cause an allergic skin reaction.

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200.

Symbol(s):



Signal Word:

Warning

Hazard statement(s):

H227 Combustible liquid.
H317 May cause an allergic skin reaction.

Precautionary statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.
P321 Specific treatment (see section 4 of the safety data sheet).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 2 of 13

Print date: 01/04/2020

P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local regulations.

Contains:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

Section 3: Composition/Information on Ingredients.

Substances.

Not Applicable.

Mixtures.

Chemical name and concentration ranges of all ingredients that are classified as health hazards in accordance with paragraph (d) of §1910.1200 and that are present above their cut-off/concentration limits or ingredients that are below their cut-off/concentration limits and present a health risk:

Identifiers	Name	Concentrate	(*)Classification	
			Classification	specific concentration limit
: 603-117-00-0 : 67-63-0 : 200-661-7 : 01-2119457558-25-XXXX	[1] isopropanol, isopropyl alcohol, propan-2-ol	<3	Eye Irrit. 2A, H319 - Flam. Liq. 2, H225 - STOT SE 3, H336	-
: 102-71-6 : 203-049-8 : 01-2119486482-31-XXXX	2,2',2''-nitrioltriethanol	0.03 - 0.05	Eye Irrit. 2A, H319	-
: 613-167-00-5 : 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	< 2,5%	Acute Tox. 3 *, H311 - Acute Tox. 3 *, H331 - Acute Tox. 3 *, H301 - Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Skin Corr. 1B, H314 - Skin Sens. 1, H317	Skin Corr. 1B, H314: C ≥ 0,6 % Skin Irrit. 2, H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2A, H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1, H317: C ≥ 0,0015 %
: 3844-45-9 : 223-339-8	dihydrogen (ethyl)[4-[4-[ethyl(3-sulphonatobenzyl)]amino]-2'-sulphonatobenzhydrylidene]cyclohexa-2,5-dien-1-ylidene](3-sulphonatobenzyl)ammonium, disodium salt	< 2,5%	-	-

(*)The complete text of the Hazard statement(s) is given in section 16 of this Safety Data Sheet.

* Minimum classification.

** Route of exposure cannot be excluded.

*** Hazard statements for reproductive toxicity, the general hazard statement can be replaced by the hazard statement indicating only the property of concern.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 3 of 13

Print date: 01/04/2020

**** Correct classification for physical hazards could not be established.
[1] Substance with a workplace exposure limit (see section 8.1).

Section 4: First-Aid Measures.

Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

Most important symptoms and effects, both acute and delayed.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

Section 5: Fire-Fighting Measures.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

Section 6: Accidental Release Measures.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 4 of 13

Print date: 01/04/2020

Personal precautions, protective equipment, and emergency procedures.

For exposure control and individual protection measures, see section 8.

Environmental precautions: Prevent the contamination of drains, surface or subterranean waters, and the ground.

Methods and materials for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

Reference to other sections: for exposure control and individual protection measures, see section 8, for later elimination of waste, follow the recommendations under section 13.

Section 7: Handling and Storage.

Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Section 8: Exposure Controls/Personal Protection.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
isopropanol, isopropyl alcohol, propan-2-ol	67-63-0	United States	Eight hours	400	
		[1] (Cal/OSHA)	Short term	500	
		United States	Eight hours	400	
		[2] (NIOSH)	Short term	500	
		United States	Eight hours	400	980
		[3] (OSHA)	Short term		

[1] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[2] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[3] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
isopropanol, isopropyl alcohol, propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	DNEL (Workers)	Inhalation, Long-term, Systemic effects	500 (mg/m ³)
	DNEL (General population)	Inhalation, Long-term, Systemic effects	89 (mg/m ³)
	DNEL (Workers)	Dermal, Long-term, Systemic effects	888 (mg/kg bw/day)

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 5 of 13

Print date: 01/04/2020

2,2',2''-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	DNEL (General population)	Dermal, Long-term, Systemic effects	319 (mg/kg bw/day)
	DNEL (General population)	Oral, Long-term, Systemic effects	26 (mg/kg bw/day)
	DNEL (Workers)	Inhalation, Long-term, Local effects	5 (mg/m ³)
	DNEL (General population)	Inhalation, Long-term, Local effects	1,25 (mg/m ³)
	DNEL (Workers)	Inhalation, Long-term, Systemic effects	5 (mg/m ³)
	DNEL (General population)	Inhalation, Long-term, Systemic effects	1,25 (mg/m ³)
	DNEL (Workers)	Dermal, Long-term, Systemic effects	6,3 (mg/kg bw/day)
	DNEL (General population)	Dermal, Long-term, Systemic effects	3,1 (mg/kg bw/day)
	DNEL (General population)	Oral, Long-term, Systemic effects	13 (mg/kg bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
isopropanol, isopropyl alcohol, propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	aqua (freshwater)	140,9 (mg/L)
	aqua (marine water)	140,9 (mg/L)
	aqua (intermittent releases)	140,9 (mg/L)
	sediment (freshwater)	552 (mg/kg sediment dw)
	sediment (marine water)	552 (mg/kg sediment dw)
	Soil	28 (mg/kg soil dw)
	STP	2251 (mg/L)
	oral (Hazard for predators)	160 (mg/kg food)
2,2',2''-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	aqua (freshwater)	0,32 (mg/L)
	aqua (marine water)	0,032 (mg/L)
	aqua (intermittent releases)	5,12 (mg/L)
	STP	10 (mg/L)
	sediment (freshwater)	1,7 (mg/kg sediment dw)
	sediment (marine water)	0,17 (mg/kg sediment dw)
	soil	0,151 (mg/kg soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Glass and surface cleaner
Breathing protection:	
If the recommended technical measures are observed, no individual protection equipment is necessary.	
Hand protection:	
PPE:	Work gloves.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 6 of 13

Print date: 01/04/2020

Characteristics:	«CE» marking, category I. Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.		
Maintenance:	Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480
		Material thickness (mm):	0,35
Eye protection:			
PPE:	Face shield.		
Characteristics:	«CE» marking, category II. Face and eye protector against splashing liquid.		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.		
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.		
Skin protection:			
PPE:	Protective clothing.		
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.		
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.		
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.		
PPE:	Work footwear.		
Characteristics:	«CE» marking, category II.		
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.		
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident		



Section 9: Physical and Chemical Properties.

Information on basic physical and chemical properties.

Appearance: Translucent liquid of foreign matter

Colour: Blue conform to type

Odour: Fragrance characteristic

Odour threshold: N.A./N.A.

pH: 8

Melting point/freezing point: N.A./N.A.

Initial boiling point or boiling range: N.A./N.A.

Flash point: 72.5 °C

Evaporation rate: N.A./N.A.

Flammability (solid, gas): N.A./N.A.

Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: N.A./N.A.

Vapour density: N.A./N.A.

Relative density: N.A./N.A.

Solubility: N.A./N.A.

Liposolubility: N.A./N.A.

Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A.

Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 7 of 13

Print date: 01/04/2020

Other information.

Explosive properties: N.A./N.A.

Oxidizing properties: N.A./N.A.

Pour point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

Section 10: Stability and Reactivity.

Reactivity.

The product does not present hazards by their reactivity.

Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

Conditions to avoid.

Avoid any improper handling.

Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

Hazardous decomposition products.

No decomposition if used for the intended uses.

Section 11: Toxicological Information.

Information on toxicological effects.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
isopropanol, isopropyl alcohol, propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	Oral	LD50	Rat	5050 mg/kg bw [1]
		[1] Gijena i Sanitariya. For English translation, see HYSAAV. Vol. 43(1), Pg. 8, 1978		
	Dermal	LD50	Rabbit	12800 mg/kg bw [1]
			[1] Raw Material Data Handbook, Vol. 1: Organic Solvents, 1974. Vol. 1, Pg. 100, 1974	
CAS No: 102-71-6 EC No: 203-049-8	Oral	LD50	Rat	5530 mg/kg bw [1]
		LD50	Rat	6400 mg/kg bw [2]
				[1] National Technical Information Service. Vol. OTS0516797 [2] Study report, 1966.
Dermal	LD50	Rabbit	> 22500 mg/kg bw [1]	
			[1] Union Carbide Data Sheet. Vol. 3/18/1965	
Inhalation				

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 8 of 13

Print date: 01/04/2020

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No: 55965-84-9 EC No:	Oral	LD50	Rata	53 mg/kg bw [1]
	Dermal	[1] Mutation Research. Vol. 118, Pg. 129, 1983		
	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

Substances present in the composition listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC):

This product does not contain substances listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC).

Substances present in the composition listed in the International Agency for Research on Cancer (IARC) Monographs:

CAS No.	Agent	*Group	Volume	Year	Additional information
67-63-0	isopropanol, isopropyl alcohol, propan-2-ol	3	15, Sup 7, 71	1999	
102-71-6	2,2',2''-nitrotriethanol	3	77	2000	
3844-45-9	dihydrogen (ethyl)[4-[4-[ethyl(3-sulphonatobenzyl)]amino]-2'-sulphonatobenzhydrylidene]cyclohexa-2,5-dien-1-ylidene](3-sulphonatobenzyl)ammonium, disodium salt	3	16, Sup 7	1987	

* GROUP

Group 3 Not classifiable as to its carcinogenicity to humans

Section 12: Ecological Information.

Ecotoxicity.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 9 of 13

Print date: 01/04/2020

Name	Ecotoxicity			
	Type	Test	Kind	Value
isopropanol, isopropyl alcohol, propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	Fish	LC50	Fish	9640 mg/l (96 h) [1] [1] Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (<i>Pimephales promelas</i>), Vol. 1. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI :414
	Aquatic invertebrates	LC50	Crustacean	1400 mg/l (48 h) [1] [1] Blackman, R.A.A. 1974. Toxicity of Oil-Sinking Agents. <i>Mar.Pollut.Bull.</i> 5:116-118
	Aquatic plants	Toxicity threshold	Scenedesmus quadricauda	1800 mg/L (7 d) [1] [1] Comparison of the Toxicity Thresholds of Water Pollutants to Bacteria, Algae, and Protozoa in the Cell Multiplication Inhibition Test, <i>Water Research</i> Vol. 14. pp. 231 to 241
2,2',2''-nitrioltriethanol CAS No: 102-71-6 EC No: 203-049-8	Fish	LC50 LC50	Carassius auratus Leuciscus idus	>5000 mg/L (24 h) [1] >10000 mg/l (48 h) [2] [1] Experimental result, Study meets generally accepted scientific principles. however, exposure period only 24 h instead of 96 h according to recent guidelines (e.g. OECD 203). [2] Study meets generally accepted scientific principles. however, exposure period only 48 h instead of 96 h according to recent guidelines (e.g. OECD 203)
	Aquatic invertebrates	EC50 EC50	Artemia salina Daphnia magna	5600 mg/L (24 h) [1] 2038 mg/l (24 h) [2] [1] Brine shrimp bioassay and seawater BOD of petrochemicals. Price KS, Waggy GT and Conway RA, 1974. [2] Results of the harmful effects of water pollutants to <i>Daphnia magna</i> in the 21 day reproduction test. Kuehn R, Pattard M, Pernak KD and Winter A. 1989.
	Aquatic plants	EC0 TTC EC50	Colpoda Scenedesmus quadricauda Scenedesmus subspicatus	160 mg/l [1] 715 mg/l (8 d) [2] 750 mg/l (48 h) [3] [1] Handbook of Environmental Data on Organic Chemicals, 2nd ed. Van Nostrand Reinhold Co., New York, USA: 518-519. [2] Testing of substances for their toxicity threshold: Model organisms <i>Microcystis</i> (Diplocystis) <i>aeruginosa</i> and <i>Scenedesmus quadricauda</i> . [3] Results of the harmful effects of water pollutants to green algae (<i>Scenedesmus subspicatus</i>) in the cell multiplication inhibition test.
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -	Fish	LC50 LC50	Pez Pez	0,36 mg/l (96 h) [1] 0,19 mg/l (96 h) [2]

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 10 of 13

Print date: 01/04/2020

isothiazol-3-one [EC no. 220-239-6] (3:1), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No: 55965-84-9 EC No:		[1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C [2] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C
	Aquatic invertebrates	LC50 Crustáceo 0,56 mg/l (48 h) [1] EC50 Crustáceo 1,07 mg/l (48 h) [2] EC50 Crustáceo 0,18 mg/l (48 h) [3] [1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C [2] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C [3] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C
	Aquatic plants	EC50 Alga 0,06 mg/l (96 h) [1] EC50 Alga 0,13 mg/l (72 h) [2] [1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C [2] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C

Persistence and degradability.

There is no information available on the degradability of the substances present.

No information is available regarding the degradability of the substances present. No information is available about persistence and degradability of the product.

Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
isopropanol, isopropyl alcohol, propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	0,05	-	-	High
2,2',2"-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	-1	-	-	Very low

Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 11 of 13

Print date: 01/04/2020

Prevent penetration into the ground.

Other adverse effects.

No information is available about other adverse effects for the environment.

Section 13: Disposal Considerations.

Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of the Resource Conservation and Recovery Act (RCRA) and the Resource Conservation and Recovery Act Information (RCRAInfo) regarding waste management.

Section 14: Transport Information.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

In accordance with DOT

Not Dangerous Good.

Regulations Concerning the International Carriage of Dangerous Goods by Road (ADR)

Not applicable. Not applicable.

Not Dangerous Good.

Section 15: Regulatory Information.

Safety, health and environmental regulations specific for the product.

VVOC content (p/p): 0 %

VVOC content: 0 g/l

VOC content (p/p): 2.9 %

VOC content: 28.71 g/l

SVOC content (p/p): .07 %

SVOC content: .693 g/l

VVOC: Very volatile organic compounds.

VOC: Volatile organic compounds.

SVOC: Semi volatile organic compounds.

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
67-63-0	isopropanol, isopropyl alcohol, propan-2-ol	Registered11
102-71-6	2,2',2''-nitrilotriethanol	Registered11
55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	
3844-45-9	dihydrogen (ethyl)[4-[4-[ethyl(3-sulphonatobenzyl)]amino]-2'-sulphonatobenzhydrylidene]cyclohexa-2,5-dien-1-ylidene](3-sulphonatobenzyl)ammonium, disodium salt	Registered11

The product is not affected by the procedure established by the Rotterdam Convention, concerning the export and import of dangerous chemicals.

The Superfund Amendments and Reauthorization Act (SARA).

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 12 of 13

Print date: 01/04/2020

SARA Title III and it sets requirements for local and state emergency planning around hazardous chemicals, the right of the public to access information on chemical hazards in their community, and the reporting responsibilities for facilities that use, store, and / or release hazardous chemicals.

SARA Title III has four provisions (any facility with responsibilities under one section will likely have additional responsibilities under another section, consult SARA for more information):

- Emergency Planning (Sections 301-303)
- Emergency Release Notification (Section 304)
- Hazardous Chemical Storage Reporting Requirements (Section 311-312)
- Toxic Chemical Release Inventory (Section 313)

Information related to the product:

Section 302, Extremely Hazardous Substances (EHSs)(40 CFR part 355 Appendix A and Appendix B) and section 304, in the event of an accidental chemical release that exceeds minimal Reportable Quantity (RQ):

Not Applicable.

Section 311, Requires facilities with hazardous chemicals in quantities above certain thresholds (consult OSHA for more information) to provide copies of the SDSs for those chemicals to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department.

Section 312, Companies with chemicals in sufficient quantities to trigger obligations under Section 311 must also submit an annual emergency and hazardous chemical inventory form to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department

Section 313, requires facilities with 10 or more employees that use certain toxic chemicals in quantities above threshold levels to report annually on the use, release and disposal of those chemicals, substances identified in section 3:

Not Applicable.

Visit the EPA's website for the most up-to-date information on EPCRA and other environmental considerations.

Proposition 65 warnings

Information related to The Safe Drinking Water and Toxic Enforcement Act of 1986, (better known by its original name of Proposition 65):

There are no substances in section 3 present in the list of chemicals that can cause cancer, birth defects or other reproductive harm (Proposition 65 List).

Section 16: Other Information.

Complete text of the hazard statement(s) that appear in section 3:

H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 3 : Acute toxicity (Dermal), Category 3

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Grupo Clarasol

Mr. Window

Version: 1

Revision date: 01/04/2020

Page 13 of 13

Print date: 01/04/2020

Acute Tox. 3 : Acute toxicity (Inhalation), Category 3
Acute Tox. 3 : Acute toxicity (Oral), Category 3
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Eye Irrit. 2A : Eye irritation, Category 2A
Flam. Liq. 2 : Flammable liquid, Category 2
Flam. Liq. 4 : Flammable liquid, Category 4
STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3
Skin Corr. 1B : Skin Corrosive, Category 1B
Skin Sens. 1 : Skin sensitiser, Category 1

Classification and procedure used to derive the classification for mixtures according to The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
Log Pow: Logarithm of the partition octanol-water.
NOEC: No observed effect concentration.
PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

Key literature references and sources for data:

The Hazard Communication Standard (HCS) (29 CFR 1910.1200)
United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
<https://www.osha.gov>
<https://www.epa.gov/>
<http://echa.europa.eu/>

The information given in this Safety Data Sheet has been drafted in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200) and United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Employers must ensure that the SDSs are readily accessible to employees for all hazardous chemicals in their workplace.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.