

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



INDUSTRIAS JLC

Clarasol Toallitas Desinfectantes

Version: 1
Revision date: 08/12/2020

Page 1 of 10
Print date: 08/12/2020

Section 1: Identification.

Product identifier used on the label and Other means of identification.

Product Name: Clarasol Toallitas Desinfectantes

Recommended use of the chemical and restrictions on use.

Disinfectant

Specific end use(s).

Not available.

Uses advised against:

Uses other than those recommended.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party.

Company: **Industrias JLC, S.A. de C.V.**
Address: Calzada San Lorenzo Tezonco No.201
City: San Nicolás Tolentino
Province: Iztapalapa, Ciudad de México
Telephone: 5556121225
E-mail: gerenciadecalidad@clarasol.com
Web: www.clarasol.com

Emergency phone number: 5556121225 (Monday-Friday; 08:00-18:00)

Section 2: Hazard(s) Identification.

Classification of the chemical in accordance with paragraph (d) of §1910.1200

In accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Acute toxicity to the aquatic environment, Category 1 : Very toxic to aquatic life.

Serious eye damage, Category 1 : Causes serious eye damage.

Specific target organ toxicity following a single exposure, Category 3 : May cause respiratory irritation.

Skin irritant, Category 2 : Causes skin irritation.

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200.

Symbol(s):



Signal Word:

Danger

Hazard statement(s):

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

Precautionary statement(s):

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash ... thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



INDUSTRIAS JLC

Version: 1
Revision date: 08/12/2020

Page 2 of 10
Print date: 08/12/2020

P302+P352	IF ON SKIN: Wash with plenty of water/...
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...
P321	Specific treatment (see ... on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to ...

Contains:
chlorine dioxide

Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

Section 3: Composition/Information on Ingredients.

Substances.

Not Applicable.

Mixtures.

Chemical name and concentration ranges of all ingredients that are classified as health hazards in accordance with paragraph (d) of §1910.1200 and that are present above their cut-off/concentration limits or ingredients that are below their cut-off/concentration limits and present a health risk:

Identifiers	Name	Concentrate	(*)Classification	
			Classification	specific concentration limit
Index No: 017-026-01-0 CAS No: 10049-04-4 EC No: 233-162-8 REACH No: 01-2119492305-37-XXXX	[1] chlorine dioxide	5.0%	Acute Tox. 3 *, H301 - Aquatic Acute 1, H400 (M=10) - Skin Corr. 1B, H314	Skin Corr. 1B, H314: C ≥ 5 % Skin Irrit. 2, H315: 1 % ≤ C < 5 % Eye Dam. 1, H318: 3 % ≤ C < 5 % Eye Irrit. 2A, H319: 0,3 % ≤ C < 3 % STOT SE 3, H335: C ≥ 3 %
Index No: 607-428-00-2 CAS No: 64-02-8 EC No: 200-573-9 REACH No: 01-2119486762-27-XXXX	tetrasodium ethylene diamine tetraacetate	0.50%	Acute Tox. 4 *, H302 - Eye Dam. 1, H318	-

(*)The complete text of the Hazard statement(s) is given in section 16 of this Safety Data Sheet.

* Minimum classification.

** Route of exposure cannot be excluded.

*** Hazard statements for reproductive toxicity, the general hazard statement can be replaced by the hazard statement indicating only the property of concern.

**** Correct classification for physical hazards could not be established.

[1] Substance with a workplace exposure limit (see section 8.1).

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Clarasol Toallitas Desinfectantes

Version: 1

Revision date: 08/12/2020

Page 3 of 10
Print date: 08/12/2020

Section 4: First-Aid Measures.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

Section 5: Fire-Fighting Measures.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Clarasol Toallitas Desinfectantes

Version: 1
Revision date: 08/12/2020

Page 4 of 10
Print date: 08/12/2020

Section 6: Accidental Release Measures.

Personal precautions, protective equipment, and emergency procedures.

For exposure control and individual protection measures, see section 8.

Environmental precautions: Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

Methods and materials for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

Reference to other sections: for exposure control and individual protection measures, see section 8, for later elimination of waste, follow the recommendations under section 13.

Section 7: Handling and Storage.

Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Section 8: Exposure Controls/Personal Protection.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
chlorine dioxide	10049-04-4	United States	Eight hours	0.1	
		[1] (Cal/OSHA)	Short term	0.3	
		United States	Eight hours	0.1	
		[2] (NIOSH)	Short term	0.3	
		United States	Eight hours	0.1	0.3
		[3] (OSHA)	Short term		

[1] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[2] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[3] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
chlorine dioxide CAS No: 10049-04-4 EC No: 233-162-8	DNEL (Workers)	Inhalation, Long-term, Local effects	0,304 (mg/m ³)

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



INDUSTRIAS JLC

Clarasol Toallitas Desinfectantes

Version: 1
Revision date: 08/12/2020

Page 5 of 10
Print date: 08/12/2020

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Disinfectant
Breathing protection:	
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
Filter Type needed:	A2
Hand protection:	
PPE:	Work gloves.
Characteristics:	«CE» marking, category I.
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.
Material:	PVC (polyvinyl chloride)
Breakthrough time (min.):	> 480
Material thickness (mm):	0,35
Eye protection:	
If the product is handled correctly, no individual protection equipment is necessary.	
Skin protection:	
PPE:	Protective clothing.
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

Section 9: Physical and Chemical Properties.

Information on basic physical and chemical properties.

Appearance: Cloth (wet)
Colour: White cloth with light liquid
Odour: Citrus
Odour threshold: N.A./N.A.
pH: 7
Melting point/freezing point: N.A./N.A.
Initial boiling point or boiling range: N.A./N.A.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Clarasol Toallitas Desinfectantes

Version: 1

Revision date: 08/12/2020

Page 6 of 10
Print date: 08/12/2020

Flash point: >93.88 °C
Evaporation rate: N.A./N.A.
Flammability (solid, gas): N.A./N.A.
Lower Explosive Limit: N.A./N.A.
Upper Explosive Limit: N.A./N.A.
Vapour pressure: N.A./N.A.
Vapour density: N.A./N.A.
Relative density: N.A./N.A.
Solubility: Towelette
Liposolubility: N.A./N.A.
Hydrosolubility: N.A./N.A.
Partition coefficient (n-octanol/water): N.A./N.A.
Auto-ignition temperature: N.A./N.A.
Decomposition temperature: N.A./N.A.
Viscosity: N.A./N.A.
N.A./N.A. = Not Available/Not Applicable due to the nature of the product

Other information.

Explosive properties: N.A./N.A.
Oxidizing properties: N.A./N.A.
Pour point: N.A./N.A.
Blink: N.A./N.A.
Kinematic viscosity: N.A./N.A.
N.A./N.A. = Not Available/Not Applicable due to the nature of the product

Section 10: Stability and Reactivity.

Reactivity.

The product does not present hazards by their reactivity.

Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

Conditions to avoid.

Avoid any improper handling.

Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

Hazardous decomposition products.

No decomposition if used for the intended uses.

Section 11: Toxicological Information.

IRRITANT MIXTURE. The inhalation of spray mist or suspended particulates can irritate the respiratory tract. It can also cause serious respiratory difficulties, central nervous system disorders, and in extreme cases, unconsciousness.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Clarasol Toallitas Desinfectantes

Version: 1

Revision date: 08/12/2020

Page 7 of 10
Print date: 08/12/2020

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 3.125 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Product classified:

Specific target organ toxicity following a single exposure, Category 3:

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

Substances present in the composition listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC):

This product does not contain substances listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC).

Substances present in the composition listed in the International Agency for Research on Cancer (IARC) Monographs:

This product does not contain substances listed in the International Agency for Research on Cancer (IARC) Monographs.

Section 12: Ecological Information.

Ecotoxicity.

No information is available regarding the ecotoxicity of the substances present.

Persistence and degradability.

There is no information available on the degradability of the substances present.

No information is available regarding the degradability of the substances present. No information is available about persistence and degradability of the product.

Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

Other adverse effects.

No information is available about other adverse effects for the environment.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



INDUSTRIAS JLC

Version: 1
Revision date: 08/12/2020

Page 8 of 10
Print date: 08/12/2020

Section 13: Disposal Considerations.

Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of the Resource Conservation and Recovery Act (RCRA) and the Resource Conservation and Recovery Act Information (RCRAInfo) regarding waste management.

Section 14: Transport Information.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

In accordance with DOT

Not Dangerous Good.

Regulations Concerning the International Carriage of Dangerous Goods by Road (ADR)

Not Dangerous Good.

Section 15: Regulatory Information.

Safety, health and environmental regulations specific for the product.

VVOC content (p/p): 0 %

VVOC content: 0 g/l

VOC content (p/p): 2 %

VOC content: 19.876 g/l

SVOC content (p/p): 0 %

SVOC content: 0 g/l

VVOC: Very volatile organic compounds.

VOC: Volatile organic compounds.

SVOC: Semi volatile organic compounds.

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
10049-04-4	chlorine dioxide	Registered
64-02-8	tetrasodium ethylene diamine tetraacetate	Registered

The product is not affected by the procedure established by the Rotterdam Convention, concerning the export and import of dangerous chemicals.

The Superfund Amendments and Reauthorization Act (SARA).

SARA Title III and it sets requirements for local and state emergency planning around hazardous chemicals, the right of the public to access information on chemical hazards in their community, and the reporting responsibilities for facilities that use, store, and / or release hazardous chemicals.

SARA Title III has four provisions (any facility with responsibilities under one section will likely have additional responsibilities under another section, consult SARA for more information):

- Emergency Planning (Sections 301-303)
- Emergency Release Notification (Section 304)
- Hazardous Chemical Storage Reporting Requirements (Section 311-312)
- Toxic Chemical Release Inventory (Section 313)

Information related to the product:

Section 302, Extremely Hazardous Substances (EHSs)(40 CFR part 355 Appendix A and Appendix B) and section 304, in the event of an accidental chemical release that exceeds minimal Reportable Quantity (RQ):

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



INDUSTRIAS JLC

Version: 1
Revision date: 08/12/2020

Page 9 of 10
Print date: 08/12/2020

Not Applicable.

Section 311, Requires facilities with hazardous chemicals in quantities above certain thresholds (consult OSHA for more information) to provide copies of the SDSs for those chemicals to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department.

Section 312, Companies with chemicals in sufficient quantities to trigger obligations under Section 311 must also submit an annual emergency and hazardous chemical inventory form to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department

Section 313, requires facilities with 10 or more employees that use certain toxic chemicals in quantities above threshold levels to report annually on the use, release and disposal of those chemicals, substances identified in section 3:

Name	Category	Category Description	Category Member
chlorine dioxide CAS No: 10049-04-4	-	-	X

Category member:

- + Member of EPCRA Section 313 PAC category.
- # Member of EPCRA Section 313 diisocyanate category.
- c Although not listed by name and CAS number, this chemical is reportable under one or more of the EPCRA section 313 chemical categories.
- s Indicates that this chemical is currently under an administrative stay of the EPCRA section 313 reporting requirements, therefore, no Toxics Release Inventory reports are required until the stay is removed.
- ! Member of the EPCRA section 313 dioxin and dioxin-like compounds category.
- X Indicates that this is a second name for an EPCRA section 313 chemical already included on this consolidated list. May also indicate that the same chemical with the same CAS number appears on another list with a different chemical name.
- \$ Member of the EPCRA section 313 nonylphenol category.

Visit the EPA's website for the most up-to-date information on EPCRA and other environmental considerations.

Proposition 65 warnings

Information related to The Safe Drinking Water and Toxic Enforcement Act of 1986, (better known by its original name of Proposition 65):

There are no substances in section 3 present in the list of chemicals that can cause cancer, birth defects or other reproductive harm (Proposition 65 List).

Section 16: Other Information.

Complete text of the hazard statement(s) that appear in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Classification codes:

Acute Tox. 3 : Acute toxicity (Oral), Category 3
Acute Tox. 4 : Acute toxicity (Oral), Category 4
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Eye Dam. 1 : Serious eye damage, Category 1
STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))



Clarasol Toallitas Desinfectantes

Version: 1

Revision date: 08/12/2020

Page 10 of 10

Print date: 08/12/2020

Skin Corr. 1B : Skin Corrosive, Category 1B
Skin Irrit. 2 : Skin irritant, Category 2

Classification and procedure used to derive the classification for mixtures according to The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
PPE: Personal protection equipment.

Key literature references and sources for data:

The Hazard Communication Standard (HCS) (29 CFR 1910.1200)
United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
<https://www.osha.gov>
<https://www.epa.gov/>
<http://echa.europa.eu/>

The information given in this Safety Data Sheet has been drafted in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200) and United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Employers must ensure that the SDSs are readily accessible to employees for all hazardous chemicals in their workplace.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.